ELSEVIER

Journal of Immunological Methods 208 (1997) 213–214

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 208 (1997)

Number 1 – 13 October 1997

Review article

Interest of image processing in cell biology and immunology
S. Sabri, F. Richelme, A. Pierres, A.-M. Benoliel and P. Bongrand (France) 1

Research reports

Purification of Pf155/RESA antigen from supernatants of in vitro *Plasmodium falciparum* cultures by continuous elution electrophoresis
B. Dubois and P. Deloron (France) 29

A modified immuno-polymerase chain reaction for the detection of β-glucuronidase from *Escherichia coli*
T.C. Chang and S.H. Huang (Taiwan, ROC) 35

Single point dilution method for the quantitative analysis of antibodies to the gag24 protein of HIV-1
D.O. Palenzuela, J. Benítez, J. Rivero, R. Serrano and O. Ganzó (Cuba) 43

Simultaneous detection of DNA synthesis and cytokine production in staphylococcal enterotoxin B activated $CD4^+$ T lymphocytes by flow cytometry
B.A. Mehta and V.C. Maino (USA) 49

The selection of ELISA cut-off points for testing antibody to Newcastle disease by two-graph receiver operating characteristic (TG-ROC) analysis
H. Xu, J. Lohr and M. Greiner (China, Germany) 61

Single-step purification of bispecific monoclonal antibodies for immunotherapeutic use by hydrophobic interaction chromatography
O. Manzke, H. Tesch, V. Diehl and H. Bohlen (Germany) 65

A comparative study by the enzyme-linked immunofiltration asssay of solid phases used in the development of flow immunosensors
S. Morais, M.A. González-Martínez, A. Abad, A. Montoya, A. Maquieira and R. Puchades (Spain) 75

Limiting dilution analysis of primary cytotoxic T-cell precursors
M. Zauderer and A. Singer (USA) 85

Saliva: a convenient source of DNA for analysis of bi-allelic polymorphisms of Fcγ receptor IIA (CD32) and Fcγ receptor IIIB (CD16)
R.C.A.A. Van Schie and M.E. Wilson (USA) 91

Detection of serum antibodies against phosphocholine-containing aminoglycoglycerolipid specific to *Mycoplasma fermentans* in HIV-1 infected individuals
J.-L. Li, K. Matsuda, M. Takagi and N. Yamamoto (Japan) 103

Notes to authors 115

Number 2 – 27 October 1997

Research reports

IL-13 induces $CD34^+$ cells isolated from G-CSF mobilized blood to differentiate in vitro into potent antigen presenting cells
M. Lopez, L. Amorim, P. Gane, A. Cristoph, D. Bardinet, A.M. Abina, A. Minty and J. Bernard (France) 117

Interpretation and estimation of relative potency in vaccines
D. Siev (USA) 131

Modification of short peptides using ε-aminocaproic acid for improved coating efficiency in indirect enzyme-linked immunosorbent assays (ELISA)
J.-C. Pyun, M.-Y. Cheong, S.-H. Park, H.-Y. Kim and J.-S. Park (South Korea) 141

Optimization of the sulforhodamine B colorimetric assay
K.T. Papazisis, G.D. Geromichalos, K.A. Dimitriadis and A.H. Kortsaris (Greece) 151
Design of non-competitive flow injection enzyme immunoassays for determination of haptens: application to digoxigenin
U. Lövgren, K. Kronkvist, B. Bäckström, L.-E. Edholm and G. Johansson (Sweden) 159
Time-resolved fluorescence imaging in islet cell autoantibody quantitation
M. Rulli, A. Kuusisto, J. Salo, H. Kojola and O. Simell (Finland) 169
The dependence of radioimmunoassay detection limits on antibody affinity
T. O'Connor and J.P. Gosling (Ireland) 181
Synthesis of mono- and bifunctional peptide–dextran conjugates for the immobilization of peptide antigens on ELISA plates: properties and application
M. Böcher, T. Böldicke, M. Kieß and U. Bilitewski (Germany) 191
Comparison of eight commercial kits for quantitation of antineutrophil cytoplasmic antibodies (ANCA)
G. Wang, E. Csernok, K. De Groot and W.L. Gross (Germany) 203

Contents of volume 208 (1997) 213

Notes to authors 215